

SOLAR CAMERAS

Picture	Remarks	Product Colour	Model	Res.	Specification	Lens	PoE
	4MP WIFI AOV PT CAMERA, 7*24Hours record, WIFI IP SMART CAMERA, SUPPORT TF CARD MAX. 128G 21700*2=9000MHA SOLAR PANEL 8W	Black and White	ECH-AP-Q038-WL-X42	4MP	4MP WIFI AOV PT CAMERA, 7*24Hours record, WIFI IP SMART CAMERA, SUPPORT TF CARD MAX. 128G 21700*2=9000MHA SOLAR PANEL 8W	3.6MM*3.6MM	Nil
	4MP WIFI AOV PT CAMERA, 7*24Hours record, WIFI IP SMART CAMERA, SUPPORT TF CARD MAX. 128G 21700*2=9000MHA SOLAR PANEL 8W	Black and White	ECH-AP-Q012A-WL-X42	4MP	4MP WIFI AOV PT CAMERA, 7*24Hours record, WIFI IP SMART CAMERA, SUPPORT TF CARD MAX. 128G 21700*2=9000MHA SOLAR PANEL 8W	3.6MM*3.6MM	Nil
	4MP WIFI AOV PT CAMERA, 7*24Hours record, WIFI IP SMART CAMERA, SUPPORT TF CARD MAX. 128G 21700*2=9000MHA SOLAR PANEL 8W	Grey	ECH-AP-Q012B5-WL-X42	4MP	4MP WIFI AOV PT CAMERA, 7*24Hours record, WIFI IP SMART CAMERA, SUPPORT TF CARD MAX. 128G 21700*2=9000MHA SOLAR PANEL 8W	3.6MM*3.6MM	Nil
	SOLAR AOV WIFI PT CAMERA, two way audio. 7*24Hours record, Human body detection. 128G, 18650*3=12000 MHA SOLAR PANEL 8W	Black and White	ECH-AP-Q022-4GW-X41-B-SAE	4MP	SOLAR AOV WIFI PT CAMERA, two way audio. 7*24Hours record, Human body detection. 128G, 18650*3=12000MHA SOLAR PANEL 8W	3.6MM	Nil
	SOLAR AOV 4G PT CAMERA, 4G, South-east +China two way audio. 7*24Hours record, Human body detection. 128G, 18650*3=12000 MHA SOLAR PANEL 8W	Black	ECH-AP-TQ11-AV4-SAE	4MP	SOLAR AOV 4G PT CAMERA, 4G, South-east +China two way audio. 7*24Hours record, Human body detection. 128G, 18650*3=12000MHA SOLAR PANEL 8W	3.6MM	Nil

DOME CAMERAS

Picture	Remarks	Product Colour	Model	Res.	Specification	Lens	PoE	Size
	IP Dome Camera	White	ECH-VB8422	4MP	4 Megapixel Human shape Vehicle Alarms	4mm	Internal PoE	0.5kg 13*13*13cm
	IP CAMERA WITH POE WITH AUDIO GK7205V210+SC5239S 1/2.8" CMOS; H.265+	White	ECH-AP-B256-IX42	4MP	4 Megapixel Support human shape detection and Face detection by default	3.6MM	Internal PoE	0.5kg 13*13*13cm

	Infrared Camera 2PCS K1 illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	Black and White	ECH-PG2343I	4MP	4 Megapixel 1/3" CMOS Sensor 25fps@4 MP(2560*1440) Human Alarms Vehicle Alarms	F2.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Full Color Camera 2PCS Warm illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	Black and White	ECH-PG2343C	4MP	4 Megapixel 1/3" CMOS Sensor 25fps@4 MP(2560*1440) Human Alarms Vehicle Alarms	F1.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Infrared Camera 2PCS K1 illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	Black and White	ECH-PG2355I	5MP	5 Megapixel 1/2.8" Sony335 Sensor 30fps@5 MP(2592x1944) Human Alarms Vehicle Alarms	F2.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Full Color Camera 2PCS Warm illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	Black and White	ECH-PG2357C	5MP	5 Megapixel 1/2.8" Sony335 Sensor 30fps@5 MP(2592x1944) Human Alarms Vehicle Alarms	F1.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Infrared Camera 2PCS K1 illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	Black and White	ECH-PG2383I	8MP	8 Megapixel 1/2.7" CMOS Sensor 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F2.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Full Color Camera 2PCS Warm illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	Black and White	ECH-PG2383C	8MP	8 Megapixel 1/2.7" CMOS Sensor 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F1.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Infrared Camera 2PCS K1 illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	Black and White	ECH-PG2385I	8MP	8 Megapixel 1/2.8" Sony415 Sensor 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F2.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Full Color Camera 2PCS Warm illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	Black and White	ECH-PG2387C	8MP	8 Megapixel 1/2.8" Sony415 Sensor 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F1.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm

	Infrared Camera 2PCS K1 illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	Black and White	ECH-PG23Q5I	12MP	12 Megapixel 1/2.5" OS12D40 Sensor 15fps@8 MP(3840*3104) 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F2.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Full Color Camera 2PCS Warm illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	Black and White	ECH-PG23Q7C	12MP	12 Megapixel 1/2.5" OS12D40 Sensor 15fps@8 MP(3840*3104) 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F1.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Infrared Camera 2PCS K1 illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	White	ECH-PG2243IS	4MP	4 Megapixel 1/3" CMOS Sensor 25fps@4 MP(2560*1440) Human Alarms Vehicle Alarms	F2.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Full Color Camera 2PCS Warm illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	White	ECH-PG2243CS	4MP	4 Megapixel 1/3" CMOS Sensor 25fps@4 MP(2560*1440) Human Alarms Vehicle Alarms	F1.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Infrared Camera 2PCS K1 illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	White	ECH-PG2255IS	5MP	5 Megapixel 1/2.8" Sony335 Sensor 30fps@5 MP(2592x1944) Human Alarms Vehicle Alarms	F2.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Full Color Camera 2PCS Warm illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	White	ECH-PG2257CS	5MP	5 Megapixel 1/2.8" Sony335 Sensor 30fps@5 MP(2592x1944) Human Alarms Vehicle Alarms	F1.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Infrared Camera 2PCS K1 illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	White	ECH-PG2285IS	8MP	8 Megapixel 1/2.8" Sony415 Sensor 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F2.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
	Full Color Camera 2PCS Warm illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	White	ECH-PG2287CS	8MP	8 Megapixel 1/2.8" Sony415 Sensor 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F1.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm



Infrared Camera 2PCS K1 illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	White	ECH-PG22Q5IS	12MP	12 Megapixel 1/2.5" OS12D40 Sensor 15fps@8 MP(3840*3104) 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F2.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm
Full Color Camera 2PCS Warmilluminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	White	ECH-PG22Q7CS	12MP	12 Megapixel 1/2.5" OS12D40 Sensor 15fps@8 MP(3840*3104) 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F1.0 2.8mm/4mm	Internal PoE	0.5kg 13*13*13cm

BULLET CAMERAS

	Remarks	Product Colour	Model	Res.	Specification	Lens	PoE	Size
	Full Color Camera	White	ECH-VB7591	5MP	5 Megapixel 1/3 "high-definition CMOS sensor; 5MP high-definition resolution Support human/vehicle shape detection and alarm functions,	4mm	Internal PoE	
	Full Color Camera 4PCS Warm illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	White	ECH-PG2T57C	5MP	5 Megapixel 1/2.8" Sony335 Sensor 30fps@5 MP(2592x1944) Human Alarms Vehicle Alarms	2.8/4MM	Internal PoE	1kg
	Full Color Camera 4PCS Warm illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	White	ECH-PG2T83C	8MP	8 Megapixel 1/2.8" GC8613 Sensor 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	2.8/4MM	Internal PoE	1kg
	Full Color Camera 4PCS Warm illuminator Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	White	ECH-PG2T87C	8MP	8 Megapixel 1/2.8" Sony415 Sensor 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	2.8/4MM	Internal PoE	1kg
	Dual light Source Camera 4PCS Warm illuminator 4PCS Infrared illuminator Light Distance:10-40M Material: Metal Waterproof Level:IP67 Built-in Mic,Built-in Speaker	White	ECH-PG2043IRC-ZS	5MP	4Megapixel 1/3" GC4653 Sensor 25fps@5 MP(2592x1944) Human Alarms Vehicle Alarms	F1.6-3.3 2.7- 13.5mm 5 x Optical Zoom	Internal PoE	0.5kg
	Dual light Source Camera 4PCS Warm illuminator 4PCS Infrared illuminator Light Distance:10-40M Material: Metal Waterproof Level:IP67 Built-in Mic,Built-in Speaker	White	ECH-PG2083IRC-ZS	8MP	8 Megapixel 1/2.8" GC8613 Sensor 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F1.6-3.3 2.7- 13.5mm 5 x Optical Zoom	Internal PoE	0.5kg
	Dual light Source Camera 4PCS Warm illuminator 4PCS Infrared illuminator Light Distance:10-40M Material: Metal Waterproof Level:IP67 Built-in Mic,Built-in Speaker	White	ECH-PG2056IRC-ZS	5MP	5 Megapixel 1/2.8" Sony335 Sensor 30fps@5 MP(2592x1944) Human Alarms Vehicle Alarms	F1.6-3.3 2.7- 13.5mm 5 x Optical Zoom	Internal PoE	1kg
	Dual light Source Camera 4PCS Warm illuminator 4PCS Infrared illuminator Light Distance:10-40M Material: Metal Waterproof Level:IP67 Built-in Mic,Built-in Speaker	White	ECH-PG2086IRC-ZS	8MP	8 Megapixel 1/2.8" Sony415 Sensor 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F1.6-3.3 2.7- 13.5mm 5 x Optical Zoom	Internal PoE	1kg

PAN TILT ZOOM CAMERAS

Picture	Remarks	Product Colour	Model	Res.	Specification	Lens	PoE	Size
	6PCS IR Leds IR Distance:10-100M Material: Metal & Plastic Waterproof Level:IP66	White top Casing Black Lower Casing / Full Black	ECH- PTZ 4518X-IS	8MP	5 Megapixel 1/2.8" Sony335 Sensor 30fps@5MP (2592x1944) Human Alarms Vehicle Alarms	4.7 mm to 84.6 mm 18 × Optical Zoom	Internal PoE	1.98kg 29°19°19cm
	6PCS IR Leds IR Distance:10-100M Material: Metal & Plastic Waterproof Level:IP66	White top Casing Black Lower Casing / Full Black	ECH- PTZ 4818X-IS	8MP	8 Megapixel 1/2.8" Sony415 Sensor 20fps@8MP (3840°2160) Human Alarms Vehicle Alarms	4.7 mm to 84.6 mm 18 × Optical Zoom	Internal PoE	1.98kg 29°19°19cm
	8PCS IR Leds IR Distance:10-100M Material: Metal & Plastic Waterproof Level:IP66	White top Casing Black Lower Casing / Full Black	ECH-PTZ-4825X-IS	8MP	8 Megapixel 1/2.8" Sony415 Sensor 20fps@8MP (3840°2160) Human Alarms Vehicle Alarms	25 × Optical Zoom	Internal PoE	1.98kg 29°19°19cm
	12 inch 5MP REAL 36X Zoom HD AI Dual Lights Smart PTZ, WITH POE WITH AUDIO IR Range 240M TP card slot enabled	White top Casing Black Lower Casing / Full Black	ECH-AP PTZ- HD7620-AI-SL- 5MP-S-36X	5MP	5 Megapixel 1/2.8" GK7205+SONY335 5MP (H.265) 3 Laser LEDs+4 Warm Light LEDs+6 Array LEDs; Support Two-way Audio and Human Shape Tracking Function	2592x1520, 36x Optical zoom 4.6mm~16 5mm	Internal PoE	1.98kg 29°19°19cm
	6 inch 8MP REAL 36X Zoom HD AI Dual Lights Smart PTZ,WITH POE WITH AUDIO IR Range 120M TF Slot	White top Casing Black Lower Casing / Full Black	ECH-AP PTZ- HD608-AI-SL	8MP	8 Megapixel 1/2.8" NT98566+8239 8MP (H.265) 2 White light LEDs+7 IR LED Support Two-way Audio and Human Shape Tracking Function	3264X2448, 36X 4.6mm~16 5mm	Internal PoE	1.98kg 29°19°19cm

WIDE ANGLE LENS CAMERAS

Picture	Remarks	Product Colour	Model	Res.	Specification	Lens	PoE	Size
	Infrared Camera 2PCS 3030 illuminator 2PCS 3535 IR LEDS Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	White	ECH- PG2046IRCS-P	5MP	5 Megapixel 1/2.8" Sony335 Sensor 30fps@5 MP(2592x1944) Human Alarms Vehicle Alarms	F1.6 2.8mm	Internal PoE	1kg 33*13*12cm
	Infrared Camera 2PCS 3030 illuminator 2PCS 3535 IR LEDS Light Distance:10-20M Material: Metal Waterproof Level:IP67 Built-in Mic	White	ECH- PG2086IRCS-P	8MP	8 Megapixel 1/2.8" Sony415 Sensor 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F1.6 2.8mm	Internal PoE	1kg 33*13*12cm
	Infrared Camera 2PCS 3030 illuminator 2PCS 3535 IR LEDS Light Distance:10-20M Material: Metal&Plastic Waterproof Level:IP67 Built-in Mic	White	ECH- PG2346IRCS-P	5MP	5 Megapixel 1/2.8" Sony335 Sensor 30fps@5 MP(2592x1944) Human Alarms Vehicle Alarms	F1.6 2.8mm	Internal PoE	0.4kg 20*10*10cm
	Infrared Camera 2PCS 3030 illuminator 2PCS 3535 IR LEDS Light Distance:10-20M Material: Metal&Plastic Waterproof Level:IP67 Built-in Mic	White	ECH- PG2386IRCS-P	8MP	8 Megapixel 1/2.8" Sony415 Sensor 20fps@8 MP(3840*2160) Human Alarms Vehicle Alarms	F1.6 2.8mm	Internal PoE	0.4kg 20*10*10cm

